


Data sheet

Commercial Art.No.: 56.106.0755.0

Measuring-disconnecting terminal WKN 6 TK SF

Measuring-disconnecting terminal with Screw connection for mounting on TS 35, nominal cross section: 6 mm², width: 8 mm, color: grey



Commercial Art.No.	56.106.0755.0
EAN	4015573005501
Order Unit	50

Technical data

General

Nominal cross section	6 mm ²
Colour	Grey
Number of levels	1
Number of clamp positions per level	2
Width/grid dimension	8 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Explosion-tested version "Ex e"	No
Mounting method	DIN rail (top hat rail) 35/7.5 mm
Terminal blocks for electrical installations	No

Technical data

Rated current	41 A
Rated voltage	500 V
Rated impulse voltage	6 kV
Pollution degree	3
Closing plate required	Yes
Type of insulation material	Thermoplastic
Length	80.5 mm

Connection Data

Connection type 1	Screw connection
Connection type 2	Screw connection
Minimum cross section solid	0.5 mm ²
Maximum cross section solid	10 mm ²
Minimum cross section fine stranded	0.5 mm ²
Maximum cross section fine stranded	10 mm ²
Wire strip length	12 mm

Torque conductor mounting	1.2 Nm
---------------------------	--------

Note

Integrated test socket	Yes
------------------------	-----

Classification

ECLASS 8.1	27141126
ETIM 7.0	EC000902
ETIM 6.0	EC000902
ETIM 5.0	EC000902
ETIM 4.0	EC000902
ETIM 3.0	EC000902

Accessories

Commercial Art.No.:	Article-type description:	Description:
Z7.282.6229.0	Jumper bar IVB WKN 6TK-2	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK..., 2 -pole
Z7.282.6329.0	Jumper bar IVB WKN 6TK-3	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK..., 3 -pole
Z7.282.6429.0	Jumper bar IVB WKN 6TK-4	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK..., 4 -pole
Z7.282.6529.0	Jumper bar IVB WKN 6TK-5	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK..., 5 -pole
Z7.282.6629.0	Jumper bar IVB WKN 6TK-6	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK..., 6 -pole
Z7.282.7229.0	Cross-connector slide IVS WKN 6 TK- 2	Short-circuit plug for DIN rail terminal blocks type WKN 6 TK..., 2-pole
Z7.282.7329.0	Cross-connector slide IVS WKN 6 TK- 3	Short-circuit plug for DIN rail terminal blocks type WKN 6 TK..., 3-pole
98.300.0000.0	Mounting rail TS 35x7,5 UNPERF - l:2000mm	Mounting rail TS 35, unslopped, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1000.0	Mounting rail TS 35x7,5 PERF 15mm - l:2000mm	Mounting rail TS 35, slopped, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1900.0	Mounting rail TS 35x7,5 PERF 25mm - l:2000mm	Mounting rail TS 35, slopped, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0000.0	Mounting rail TS 35x15-2,3 UNPERF - l:2000mm	Mounting rail TS 35, unslopped, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0004.0	Mounting rail TS 35x15-2,3 UNPERF FZN - l:2000mm	Mounting rail TS 35, unslopped, size 15 mm, length 2 m, material steel, hot galvanized
98.370.0000.0	Mounting rail TS 35x15 UNPERF - l:2000mm	Mounting rail TS 35, unslopped, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.370.1000.0	Mounting rail TS 35x15 PERF 15mm - l:2000mm	Mounting rail TS 35, slopped, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.380.0000.0	Mounting rail TS 35x15-2,3 UNPERF CU - l:2000mm	Mounting rail TS 35, unslopped, size 15 mm, length 2 m, material E copper
05.566.6855.9	Switch lock SP WKN 6 TK	Disconnect locking device for Mess-Trennklemme WKN 6 TK
Z5.511.3553.0	Female plug SBN 4 GRAU	Test socket for Test plug, for DIN rail terminal blocks type WKN 6 TK, color: grey
Z5.511.3553.6	Female plug SBN 4 BLAU	Test socket for Test plug, for DIN rail terminal blocks type WKN 6 TK, color: blue
Z5.511.3553.7	Female plug SBN 4 GRÜN	Test socket for Test plug, for DIN rail terminal blocks type WKN 6 TK, color: green
Z5.511.3553.8	Female plug SBN 4 GELB	Test socket for Test plug, for DIN rail terminal blocks type WKN 6 TK, color: yellow

Z5.511.3553.9	Female plug SBN 4 VIOLETT	Test socket for Test plug, for DIN rail terminal blocks type WKN 6 TK, color: violet
07.313.1755.0	End plate APN 6 TK	End plate for DIN rail terminal blocks type WKN 6 TK..., color: grey
Z5.522.7453.0	End bracket 9708 / S35	End clamp for mounting rail TS 35
Z5.522.8553.0	End bracket 9708 / 2 S 35	End clamp for mounting rail TS 35
Z5.523.5653.0	End bracket WE 2/U	End clamp for mounting rail TS 35 and TS 32
Z5.523.5753.0	End bracket WE 1/U	End clamp for mounting rail TS 35 and TS 32
Z5.523.9353.0	End bracket WEF 1/35	End clamp for mounting rail TS 35
Z7.255.8727.0	Jumper bar IVK WKN 6 TK-7	Jumper comp, insulated for DIN rail terminal blocks type 9700/WK 6/WKN 6 TK/WK 4 THSI, 7-pole
Z7.255.8827.0	Jumper bar IVK WKN 6 TK-8	Jumper comp, insulated for DIN rail terminal blocks type 9700/WK 6/WKN 6 TK/WK 4 THSI, 8-pole
Z7.255.8927.0	Jumper bar IVK WKN 6 TK-9	Jumper comp, insulated for DIN rail terminal blocks type 9700/WK 6/WKN 6 TK/WK 4 THSI, 9-pole
Z7.255.9027.0	Jumper bar IVK WKN 6 TK-10	Jumper comp, insulated for DIN rail terminal blocks type 9700/WK 6/WKN 6 TK/WK 4 THSI, 10-pole
Z7.255.9127.0	Jumper bar IVK WKN 6 TK-11	Jumper comp, insulated for DIN rail terminal blocks type 9700/WK 6/WKN 6 TK/WK 4 THSI, 11-pole
Z7.255.9227.0	Jumper bar IVK WKN 6 TK-12	Jumper comp, insulated for DIN rail terminal blocks type 9700/WK 6/WKN 6 TK/WK 4 THSI, 12-pole