

## Data sheet

Commercial Art.No.: 71.320.1628.0

Bottom BAS GUT GK 16 A

revos BASIC size 16 open-bottom base, single locking lever

1011011010001010010101101  
0100110110010110100101010  
101001101100111001010010  
101010010101010101010100  
1101010011011001011010010  
1010101010010101101010011

# DIGITALIZATION IN PROGRESS

|                    |               |
|--------------------|---------------|
| Commercial Art.No. | 71.320.1628.0 |
| EAN                | 4015573225169 |
| Order Unit         | 1             |

Certificates / Approvals



## Technical data

### General

|                                                            |                     |
|------------------------------------------------------------|---------------------|
| Housing material                                           | Aluminium           |
| Colour                                                     | Grey                |
| Surface                                                    | With powder coating |
| Degree of protection (IP)                                  | IP54                |
| UV resistant                                               | Yes                 |
| Inflammability class of insulation material acc. with UL94 | Other               |
| Operating temperature range min.                           | -40 °C              |
| Operating temperature range max.                           | 120 °C              |

### Model

|                        |                                  |
|------------------------|----------------------------------|
| DIN-size               | 16                               |
| Model                  | Equipment mounted (feed-through) |
| Locking mechanism      | Single locking lever             |
| Cable entry            | None                             |
| Type of cable          | None                             |
| With cable screw gland | No                               |
| Thread size PG         |                                  |
| Hinged lid             | No                               |
| EMC-version            | No                               |
| Length                 | 113 mm                           |
| Width                  | 44 mm                            |
| Height                 | 28 mm                            |





### Classification

|            |          |
|------------|----------|
| ECLASS 8.1 | 27440202 |
| ETIM 7.0   | EC000437 |
| ETIM 6.0   | EC000437 |
| ETIM 5.0   | EC000437 |

|          |          |
|----------|----------|
| ETIM 4.0 | EC000437 |
| ETIM 3.0 | EC000437 |

## Fits with

| Commercial Art.No.: | Article-type description:    | Description:                                                                                                    |
|---------------------|------------------------------|-----------------------------------------------------------------------------------------------------------------|
| 71.350.1635.0       | Hood BAS GOT GG 16 M25 A0    | revos BASIC size 16 hood with cable gland M25, lateral cable entry, single locking lever                        |
| 71.350.1635.1       | Hood BAS GOT GG 16 M25 A1    | revos BASIC size 16 hood with threaded collar M25, lateral cable entry, single locking lever                    |
| 71.350.1635.2       | Hood BAS GOT GG 16 M25 A2    | revos BASIC size 16 hood with intermediate support M25, lateral cable entry, single locking lever               |
| 71.352.1635.0       | Hood BAS GOT GI 16 M25 A0    | revos BASIC size 16 hood with cable gland M25, top cable entry, single locking lever                            |
| 71.352.1635.1       | Hood BAS GOT GI 16 M25 A1    | revos BASIC size 16 hood with threaded collar M25, top cable entry, single locking lever                        |
| 71.352.1635.2       | Hood BAS GOT GI 16 M25 A2    | revos BASIC size 16 hood with intermediate support M25, top cable entry, single locking lever                   |
| 71.353.1635.0       | Hood BAS GOT GG 16 M32 A0    | revos BASIC size 16 hood with cable gland M32, lateral cable entry, single locking lever                        |
| 71.353.1635.1       | Hood BAS GOT GG 16 M32 A1    | revos BASIC size 16 hood with threaded collar M32, lateral cable entry, single locking lever                    |
| 71.353.1635.2       | Hood BAS GOT GG 16 M32 A2    | revos BASIC size 16 hood with intermediate support M32, lateral cable entry, single locking lever               |
| 71.354.1635.0       | Hood BAS GOT GI 16 M32 A0    | revos BASIC size 16 hood with cable gland M32, top cable entry, single locking lever                            |
| 71.354.1635.1       | Hood BAS GOT GI 16 M32 A1    | revos BASIC size 16 hood with threaded collar M32, top cable entry, single locking lever                        |
| 76.351.1635.1       | Hood BAS GOT GH 16H M20 A1   |                                                                                                                 |
| 76.351.1635.3       | Hood BAS GOT GH 10H M20 A3   |                                                                                                                 |
| 76.352.4035.0       | Hood BAS GOT GI 40HM25 50 A0 | revos BASIC size 16H hood with cable gland M25, top cable entry, high design, single locking lever              |
| 76.352.4035.1       | Hood BAS GOT GI 16HM25 A1    | revos BASIC size 16H hood with threaded collar M25, top cable entry, high design, single locking lever          |
| 76.353.4035.0       | Hood BAS GOT GG 40HM32 50 A0 | revos BASIC size 16H hood with cable gland M32, lateral cable entry, high design, single locking lever          |
| 76.353.4035.1       | Hood BAS GOT GG 16HM32 A1    | revos BASIC size 16H hood with threaded collar M32, lateral cable entry, high design, single locking lever      |
| 76.353.4035.2       | Hood BAS GOT GG 40HM32 50 A2 | revos BASIC size 16H hood with intermediate support M32, lateral cable entry, high design, single locking lever |
| 76.354.4035.0       | Hood BAS GOT GI 40HM32 50 A0 | revos BASIC size 16H hood with cable gland M32, top cable entry, high design, single locking lever              |
| 76.354.4035.1       | Hood BAS GOT GI 40HM32 50 A1 | revos BASIC size 16H hood with threaded collar M32, top cable entry, high design, single locking lever          |
| 76.360.4035.1       | Hood BAS GOT GG 40HM40 50 A1 | revos BASIC 500V size 16H hood with threaded collar M40, lateral cable entry, high design, single locking lever |
| 76.362.4035.1       | Hood BAS GOT GI 40HM40 50 A1 | revos BASIC size 16H hood with threaded collar M40, top cable entry, high design, single locking lever          |



Bohrbild  
/Cut out

|                                |                 |
|--------------------------------|-----------------|
| 71.320.1628.0                  | BAS GUT GK 16 A |
| Bestellnummer<br>/Order number | Typ<br>/Type    |

|                                                                                        |                                                                                                                                                      |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Weitere Daten siehe KATALOG oder eKatalog.<br>Additional data see CATALOG or eCatalog. | <a href="http://www.wieland-electric.com">www.wieland-electric.com</a><br><a href="http://eshop.wieland-electric.com">eshop.wieland-electric.com</a> |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                           |                               |                      |                                                                    |                                                                                               |                                                                                   |                                                                                                                                                                                                             |                                                |                               |  |  |  |                                 |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------|--|--|--|---------------------------------|--|
| Tolerierung Size ISO 14405(☺)/Tolerance system Size ISO 14405(☺).<br>(This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances). |                               |                      |                                                                    |                                                                                               |                                                                                   | ja/yes ☑ Stoffverbots- und Deklarationsliste nach UU-TQM-05/03 ist einzuhalten.<br>Conformity with Wieland document UU-TQM-05/03 (list of prohibited /<br>declaimable hazardous substances) to be declared! |                                                |                               |  |  |  |                                 |  |
| Freitoleranz nach<br>General tolerance                                                                                                                                                                                                    |                               |                      |                                                                    | CAD - Zeichnung, keine manuellen Änderungen<br>CAD - drawing, no manual modifications allowed |                                                                                   |                                                                                                                                                                                                             |                                                | 1.Verwendung: -<br>First Use: |  |  |  | Blatt: 1 von 1<br>Sheet: 1 of 1 |  |
|                                                                                                                                                                                                                                           | /                             |                      | Werkstoff/Material<br>Aluminium<br>beschichtet/coated<br>grau/grey | 2013                                                                                          | Tag/Date                                                                          | Name                                                                                                                                                                                                        | Zeichnung Nr./Drawing No.<br>71.320.1628.0 13K | Index                         |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             |                      |                                                                    | gezeichnet<br>drawn                                                                           | 28.06.                                                                            | Duetsch                                                                                                                                                                                                     |                                                |                               |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             |                      |                                                                    | geprüft<br>checked                                                                            | -                                                                                 | -                                                                                                                                                                                                           |                                                |                               |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             |                      |                                                                    | Normgepr.<br>Stand. check                                                                     | -                                                                                 | -                                                                                                                                                                                                           |                                                |                               |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             | Maßstab/Scale<br>1:2 |                                                                    |                                                                                               |                                                                                   |                                                                                                                                                                                                             | Maße in mm/Dimensions are in mm                |                               |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             | Vol.                 | mm³                                                                | Ofl./Surf.                                                                                    | mm²                                                                               | Ersatz für/Replacement for: -                                                                                                                                                                               |                                                |                               |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             |                      | wieland                                                            | Type<br>revos<br>BASIC<br>Elektrische<br>Verbindungen                                         | Benennung/Title<br>GEHAEUSEUNTERTEIL<br>Baugröße 16 offen<br>Open housing size 16 |                                                                                                                                                                                                             |                                                |                               |  |  |  |                                 |  |
|                                                                                                                                                                                                                                           | /                             |                      |                                                                    |                                                                                               |                                                                                   |                                                                                                                                                                                                             |                                                |                               |  |  |  |                                 |  |
| Index                                                                                                                                                                                                                                     | Datum / Blatt<br>Date / Sheet |                      |                                                                    |                                                                                               |                                                                                   |                                                                                                                                                                                                             |                                                |                               |  |  |  |                                 |  |
| Änderung/Revision                                                                                                                                                                                                                         |                               |                      |                                                                    |                                                                                               |                                                                                   |                                                                                                                                                                                                             |                                                |                               |  |  |  |                                 |  |

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet.  
The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited.