

Data sheet

Commercial Art.No.: 83.041.0045.1

Mobile Router WIENET HSPA+ UR5i SLv2 ETH

1011011010001010010101101
0100110110010110100101010
101001101100111001010010
101101001010101010101010
1101010011011001011010010
1010101010010101101010011

DIGITALIZATION IN PROGRESS

Commercial Art.No.	83.041.0045.1
EAN	4049088212116
Order Unit	1

Technical data

Allgemein

Mounting method	DIN rail (top hat rail)
Degree of protection (IP)	IP20
Housing material	Metal
Port 1	ETH
Port 2	ETH
Ethernet	Yes
Fast Ethernet	Yes
Gigabit Ethernet	No
Switchable profiles	4
LED status indication	PWR, WAN, DAT, DI, DO, USR

Supply circuit

Voltage type	DC
Operating voltage min.	10 V
Operating voltage max.	30 V
Power consumption max.	5.5 W

Dimensions

Depth	80.5 mm
Width	113.5 mm
Height	42 mm
Weight	270 g



Classification

ECLASS 8.1	19170103
ETIM 7.0	EC001478
ETIM 6.0	EC001478
ETIM 5.0	EC001478


Accessories

Commercial Art.No.:	Article-type description:	Description:
F0.000.0031.8	Adapter MPI-ETH Adapter ACCON-NetLink-PRO compact	compact communication adapter to connect PC with S7-200/300/400 over TCP/IP. Up to 32 concurrent MPI- and PROFIBUS connections possible, automatic detecting of TCP rate (10/100 Mbit/s), Power supply 24 V DC extern.
83.041.0200.0	antenna WIENET Antenne GXR623	wienet vendor antenna; GSM, GPRS, EDGE, UMTS, HSPA+; Flat antenna height only 13 mm; with cable 2,5 m
83.041.0210.0	antenna WIENET Antenne GXS606	wienet outdoor antenna in rod form; GSM, GPRS, EDGE, UMTS, HSPA+; rod length: 300 mm; inclusive stainless steel mounting bracket; with cable 5 m
F0.000.0035.1	antenna WIENET ANTENNE 15863V2 DACH ANT.	wienet omni-roof antenna v2 - 4dBi, Outdoor antenna, Frequency range: GSM / GPRS / EDGE / UMTS / LTE, Profits: max. 4dBi, Connector: 1xSMA / M, Cable length: 5m, Dimensions: 82x48x48mm, incl. bracket (pole and wall mounting)
F0.000.0035.2	antenna WIENET ANTENNE 15869V2 FAHRZEUG ANT.	"wienet Car Antenna v2 - 5dBi external antenna Frequency ranges: GSM / GPRS / EDGE / UMTS / LTE Supports MiMo and Diversity Profit: max. 5dBi Connector: 2x SMA / M 2 x Cable: 0.3m Dimensions: height 82mm, diameter 176mm Color: Black Roof installation"
F0.000.0037.6	antenna WIENET ANTENNE 15862V2 PANEL ANT.	"wienet panel antenna v2 - 5dBi external antenna Frequency ranges: GSM / GPRS / EDGE / UMTS / LTE MiMo and Diversity Antenna (lightweight microwave effect) Profit: max. 5dBi Connector: 2x SMA / M Cable length: 5m Dimensions: approx 155x155x75mm incl. Bracket (mast, wall and table mounting)"
F0.000.0037.8	antenna WIENET ANTENNE 15872V2 PANEL ANT.	"wienet Panel Antenna v2 - 9dBi outdoor antenna Frequency ranges: GSM / GPRS / EDGE / UMTS / LTE MiMo and Diversity Antenna with microwave effect Profit: max. 9dBi Connector: 2x SMA / M Cable length: 5m Dimensions: approx 180x200x94mm incl. Bracket (mast, wall and Table mounting)"
F0.000.0037.7	Power supply unit 15094 12V NETZTEIL V3	wienet wall plug transformer for V3-Router 12 V DC

Teile-Nr. / Part-No.
83.041.0040.1
83.041.0041.1
83.041.0042.1
83.041.0043.1
83.041.0044.1
83.041.0045.1
83.041.0400.1
83.041.0401.1
83.041.0402.1
83.041.0403.1
83.041.0404.1
83.041.0405.1
83.041.0411.1
83.041.0412.1
83.041.0413.1
83.041.0414.1
83.041.0415.1
83.041.0422.1
83.041.0423.1
83.041.0424.1
83.041.0425.1
83.041.0460.1
83.041.0461.1
83.041.0462.1
83.041.0463.1
83.041.0464.1
83.041.0465.1
83.041.0470.1
83.041.0471.1
83.041.0472.1
83.041.0473.1
83.041.0474.1
83.041.0499.1



Fullversion



Basisversion

Weitere Angaben siehe KATALOG oder eKatalog. Additional data see CATALOG or eCatalog.						www.wieland-electric.com eshop.wieland-electric.com			
ja/yes ☒ Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!									
Freitoleranz nach General tolerance				CAD-Zeichnung, keine manuellen Änderungen CAD drawing, no manual modifications allowed		1. Verwendung: First Use:		Blatt: Sheet:	
				Werkstoff / Material		2015	Tag/Date	Name	
						gezeichnet drawn	13.05.	Kötzner	
						geprüft checked			
						Normgepr. Stand. check			
				Datei / File: 039281__01K.DCD		Ersatz für / Replacement for:			
Index		Datum / Blatt Date / Sheet		 www.wieland-electric.com		Type		Benennung / Title Teilespezifikation / Component specification WIENET HSPA+ UR5i v2 - Basis- und Fullversion	
Änderung / Revision									

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet.
The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited.